

TOSHIBA

Leading Innovation >>>

| wx5400



> **NEW POWER**

> **NEW FREEDOM**

> **NEW VISIONS**

- 5,400 ANSI-lumens
- 100 % projection offset
- WXGA 1,280 x 800




DLP™ and the DLP logo are registered trademarks of Texas Instruments

wx5400



Display	0.65" DMD™ Chip
Resolution	WXGA 1,280 x 800
Brightness	5,400 ANSI-lumens / 2,700 ANSI-lumens single lamp
Colour reproduction	16.7 mio. colours
Contrast	2,400:1
Projection format	16:10 switchable to 16:9 / 4:3
Lamp	2 x 280 W (TLPLW25)
Maximal lamp life	up to max. 2,000 hours / up to 3,000 hours in Eco mode
Lens	lens-dependent
Zoom	1.32 x
Frequency (hor./vert.)	15 - 120 kHz / 50 - 150 Hz
Projection	front, rear and ceiling
Digital keystone correction	vertical +/- 40°, hor. +/- 35°
Picture size (diagonal)	lens-dependent
Projectionoffset	100 %, lens shift lens-dependent
Input signals	NTSC / PAL / SECAM, 480i, 480p, 576i, 576p, 720p, 1,080i, VGA, SVGA, XGA, WXGA, SXGA, UXGA (compr.)
Inputs	1 x RGB (D-sub 15), 5 x BNC, DVI-D, component (3 x RCA), composite video (1 x RCA), S-video
Outputs	1 x RGB (D-sub 15), audio
Serial interface	RS-232C (D-sub 9pin)
Power supply	AC 100 - 240 V, 50/60 Hz
Loudspeaker	2 x 3 W
Dimensions (W x H x D)	505 x 215 x 385 mm
Weight	17.0 kg
Operation noise	ECO Mode 36 dB / normal 39 dB
Specials	auto setup, auto keystone correction, user logo capture, password, black board-function, panelock, digital zoom
Accessories	remote control with laserpointer and batteries, mouse remote receiver, softcase, owners manual (CD-ROM), RGB- and power-cable
Options	ceiling mount, optional lenses, spare lamp, camera c001
Menu guidance	8 languages: English, French, German, Italian, Spanish, Swedish, Japanese, Chinese



Option Lens	Short Throw Fix	Short Throw	Standard	Middle Zoom	Long Zoom
Model	TLPSFL54	TLPSL54	TLPNL54	TLPML54	TLPLL54
Type	fix	zoom	zoom	zoom	zoom
Throw ratio	0.77 : 1	1.33 - 1.79 : 1	1.78 - 2.35 : 1	2.22 - 4.43 : 1	4.43 - 8.3 : 1
Zoom	no	power	power	power	power
Focus	power	power	power	power	power
Zoom ratio	1	1.34	1.32	2	1.87
Range of screen size	50 - 200	40 - 500	40 - 500	40 - 500	40 - 500
@ 100 inch (m)	1.74	2.96 - 3.99	3.96 - 5.24	4.97 - 10.00	9.84 - 18.6
Lens shift	Vertical	no	77 %	77 %	77 %
	Horizontal	no	10 %	10 %	10 %
Weight	1.0 kg	1.1 kg	0.8 kg	1.1 kg	0.9 kg

TOSHIBA
Leading Innovation >>>

www.toshiba-projectors.com

Toshiba Europe GmbH · Projection & Display Technology
Phone: ++49-2131-158-01 · Fax: ++49-2131-158-835
e-mail: projektoreninfo@toshiba-teg.com